

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 February 2024

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D	21N
2/1																			
2/2																			
2/3																			
2/4																			
2/5																			
2/6	W400	W400	W400	>400	>400	>400	>400	>400	>400	>400	W400	>400	>400	W400	>400	>400	W400	>400	>400
2/7																			
2/8																			
2/9																			
2/10																			
2/11																			
2/12																			
2/13	80	26	10	8	2	2	<2	88	4			2			<2			74	6
2/14																			
2/15																			
2/16																			
2/17																			
2/18																			
2/19																			
2/20	302	52	18	8	12	30	18	28	38	96	W400	>400	276	W400	>400	>400	W400	>400	302
2/21																			
2/22																			
2/23																			
2/24																			
2/25																			
2/26																			
2/27	30	40	14	8	2	<2	12	96	<2			4			<2			<2	<2
2/28																			
2/29																			
3/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB4U	HB4	HB4D	HB5U	HB5	HB5D	15N	12N	9N	6N	3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	
>400	W400	>400	>400	W400	>400	>400	>400	>400	W400	W400	W400	>400	W400	W400	312	114	88	76	98	
		4			4	2	452	50	4	10	12		360		12	8	8	4	36	6
							<2	2	36	6	18	2								
230	W400	>400	130	>400	202	100	100	80	100	104	>400		>400		>400	>400	296	74	272	14
								96	140	356	240	84								
		4			<2	4	10	14	10	4	6		6							
								10	28	54	30	<2		12	14	14	4	2	2	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
300	240	>400	170	94	>400	104	72	76	>400	130	80	280	>400	90
10	64	202	18	6	332	<2	<2	<2	156	4	<2	2	118	2
182	>400	>400	140	46	>400	114	160	192	>800	240	140	64	W800	>400
<2	6	202	<2	6	244	2	<2	2	124	4	<2	4	232	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.