

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 December 2021

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3D	21N	HB4D	HB5U	
12/1																				
12/2																				
12/3																				
12/4																				
12/5																				
12/6																				
12/7	<17	67	<17	<17	<17	17	<17	<17	<17			<17			<17	<17	<17	<17		
12/8																				
12/9																				
12/10																				
12/11																				
12/12																				
12/13																				
12/14	67	33	<17	50	33	50	220	67	200	>4400	>12000	3000	>3200	CWS	100	67	33	<17	>6900	
12/15																				
12/16																				
12/17																				
12/18																				
12/19																				
12/20	400	130	17	<17	<17	<17	33	17	17			<17			<17	<17	<17	17		
12/21																				
12/22																				
12/23																				
12/24																				
12/25																				
12/26																				
12/27																				
12/28	4900	600	700	250	83	230	500	370	900			440			480	1500	500	500		
12/29																				
12/30																				
12/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB5	HB5D	15N	12N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD
				17	120	150	67		150	17	<17	<17	280	67	<17	17	580	2000	370
	<17	<17	<17	<17	33	<17	<17	<17											
				67	<17	33	50		67	17	17	<17	<17	<17	<17	<17	<17	940	17
>14000	440	33	33	67	83	400	1000	130											
				2900	1900	1600	1700		1100	>9100	1700	1700	700	350	420	220	270	8200	620
	67	17	<17	<17	130	67	230	83											
				50	400	50	220		<17	17	<17	<17	<17	83	<17	33	100	>6600	700
	180	150	300	270	220	320	1200	>6400											
				300	600	800	350		300	800	800	220	230	50	350	100	300	>3000	83

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

PPCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
>67	>2600	>17	<17	100	>1100	67	50			<17
17	3200	<17	<17	<17	>120	<17	17			<17
		180	180	150	4600	270	150	83	>15000	>2400
<17	>880	<17	<17	<17	1200	<17	>67	17	>4800	<17
33	1600	<17	17	17	600	83	33	150	1600	<17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.