

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 March 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
3/1	<17	120	17	<17	<17	17	33	<17	<17	<17	<17	17	17	<17	17	<17	<17	<17	<17
3/2																		33	<17
3/3																			
3/4																			
3/5																			
3/6																			
3/7																			
3/8	17	<17	17	<17	<17	<17	<17	<17	280	17	<17	<17	<17	<17	17	<17	17	17	<17
3/9																		<17	<17
3/10																			
3/11																			
3/12																			
3/13																			
3/14																			
3/15	17	17	<17	<17	<17	<17	<17	<17	33	17	<17	<17	<17	<17	17	50	<17	50	<17
3/16																		17	50
3/17																			
3/18																			
3/19																			
3/20																			
3/21																			
3/22	500	33	120	<17	<17	<17	<17	17	17	<17	17	<17	<17	<17	17	<17	<17	50	<17
3/23																		<17	17
3/24																			
3/25																			
3/26																			
3/27																			
3/28																			
3/29	10000	4900	5200	17	<17	83	<17	<17	<17	120	<17	120	83	50	120	130	150	250	120
3/30																		1300	2800
3/31																			

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<17	33	67																	
<17	<17		17	<17	17	<17	<17	33	<17	17	50	1800	17	17	>2100	<17	<17	17	400
<17	17	17																	
33	17		<17	17	<17	<17	<17	<17	<17	<17	<17	940	<17			<17	<17	<17	400
17	<17	<17																	
17	150		67	17	<17	<17	<17	17	<17	17	<17	3000	<17			<17	33	<17	>330
<17	33	>3500																	
<17	<17		50	33	<17	17	<17	17	<17	33	<17	2200	17	100	4400	<17	<17	<17	670
33	130	800																	
2100	2000		1800	>3300	>5500	>3900	280	170	300	800	50	>6000	800	100	>2100	100	83	100	>530

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<17	<17	<17	1600	17
<17	<17	<17	3800	<17
<17	33			<17
<17	<17			<17
100	<17	17	>3600	50

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.