

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 October 2012

| Date | 39N | 33N | 27N | 21N | 15N | 9N | 6N | 3N | 0 | 3S | 6S | 9S | 15S | 21S | 27S | 29S | 39S |
|-------|-----|-----|-----|-----|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 10/1 | 17 | <17 | <17 | <17 | 17 | 1800 | 33 | 33 | <17 | <17 | <17 | <17 | 83 | <17 | <17 | 17 | <17 |
| 10/2 | <17 | <17 | <17 | <17 | <17 | 33 | <17 | 33 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 |
| 10/3 | 17 | <17 | <17 | 17 | 50 | 500 | 33 | 100 | <17 | <17 | <17 | <17 | <17 | 17 | <17 | 100 | <17 |
| 10/4 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | 33 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 |
| 10/5 | <17 | <17 | <17 | <17 | <17 | 17 | <17 | <17 | 250 | <17 | <17 | <17 | <17 | <17 | <17 | 17 | <17 |
| 10/6 | | | | | | | | | | | | | | | | | |
| 10/7 | | | | | | | | | | | | | | | | | |
| 10/8 | | | | | | | | | | | | | | | | | |
| 10/9 | 17 | 50 | <17 | 17 | <17 | 33 | 83 | <17 | <17 | | | | | | | | |
| 10/10 | | | | | | 130 | 100 | 33 | <17 | <17 | <17 | <17 | 33 | <17 | <17 | <17 | <17 |
| 10/11 | | | | | | | | | | | | | | | | | |
| 10/12 | | | | | | | | | | | | | | | | | |
| 10/13 | | | | | | | | | | | | | | | | | |
| 10/14 | | | | | | | | | | | | | | | | | |
| 10/15 | | | | | | | | | | | | | | | | | |
| 10/16 | <17 | 50 | <17 | <17 | 17 | 33 | 7800 | 17 | 50 | | | | | | | | |
| 10/17 | | | | | | 17 | <17 | 33 | 17 | 17 | <17 | <17 | <17 | <17 | <17 | <17 | <17 |
| 10/18 | | | | | | | | | | | | | | | | | |
| 10/19 | | | | | | | | | | | | | | | | | |
| 10/20 | | | | | | | | | | | | | | | | | |
| 10/21 | | | | | | | | | | | | | | | | | |
| 10/22 | | | | | | | | | | | | | | | | | |
| 10/23 | <17 | <17 | <17 | <17 | 17 | <17 | 17 | <17 | 17 | | | | | | | | |
| 10/24 | | | | | | 17 | 200 | 83 | 50 | 50 | <17 | <17 | <17 | 50 | 33 | 17 | 83 |
| 10/25 | | | | | | | | | | | | | | | | | |
| 10/26 | | | | | | | | | | | | | | | | | |
| 10/27 | | | | | | | | | | | | | | | | | |
| 10/28 | | | | | | | | | | | | | | | | | |
| 10/29 | | | | | | | | | | | | | | | | | |
| 10/30 | <17 | <17 | <17 | <17 | <17 | 17 | <17 | 50 | 17 | | | | | | | | |
| 10/31 | | | | | | <17 | 17 | <17 | <17 | <17 | 33 | 17 | <17 | <17 | <17 | <17 | <17 |

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluent With Sheen
 CWOS - Confluent Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.