

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 May 2013

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
5/1	33																	<17	17	
5/2																				
5/3																				
5/4																				
5/5																				
5/6																				
5/7	CWS	CWS	CWS	CWS	17	83	3200	CWS	CWS	CWS	CWS	CWS	CWS	CWS	CWS	CWS	CWS	CWS	4200	
5/8	CWS																	13000	15000	
5/9																				
5/10																				
5/11																				
5/12																				
5/13																				
5/14	>60	100	400	33	<17	100	<17	17	<17	33	<17	<17	17	170	<17	17	<17	<17	<17	
5/15	300																	17	17	
5/16																				
5/17																				
5/18																				
5/19																				
5/20																				
5/21	>33	<17	17	33	<17	33	<17	33	<17	17	<17	17	17	17	67	17	17	<17	<17	
5/22	50																	<17	33	
5/23																				
5/24																				
5/25																				
5/26																				
5/27																				
5/28	200	130	<17	<17	<17	<17	<17	100	<17	<17	<17	<17	<17	>20	>40	100	<17	<17	<17	
5/29	33																	<17	<17	
5/30																				
5/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
17	33		17	<17	<17	<17	<17	<17	<17	<17	<17	2000	<17	<17	<17	<17	CWS	<17	<17
1500	4800	2600																	
6500	2900		9300	<17	<17	<17	<17	<17	<17	83	100	4700	83	<17	<17	<17	630	<17	17
50	<17	>40																	
17	17		17	<17	<17	<17	<17	<17	<17	<17	<17	3600	83	<17	<17	<17	>1000	<17	<17
<17	<17	<17																	
100	<17		50	<17	17	<17	33	<17	<17	33	<17	5800	50	<17	17	<17	4500	<17	17
TNTC	2300	83																	
<17	<17		17	<17	33	17	17	17	<17	67	460	>6600	83	<17	<17	33	600	<17	17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROD
		<17	<17
33	20000	120	<17
<17	CWS	>500	<17
<17	CWS	17	17
		<17	17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.